

# ACUALUX PHOTO TRANSFER



**Product Code:** 091 0087

## Description

Water-based varnish for the transfer of black and white or colour laser photocopies, especially on porous surfaces.

## Fields of Application

Waterproof transfer gel which can also be used to give a finish topcoat.

## Technical Data

<b>Finish</b>	Gloss
<b>Density (UNE EN ISO 2811-1)</b>	1.03 - 1.05 Kg/l
<b>Drying at 23°C 60 % RH (UNE 48301)</b>	30 - 60 minutes (for a wet thickness of 0.2 - 0.5 mm)
<b>Methods of Application</b>	Flat brush or spatula
<b>Equipment Cleaning</b>	Water
<b>Pack sizes</b>	250 ml and 100 ml

## Directions for use

### GENERAL REMARKS:

Thoroughly stir the product in the pack.

After having spread the gel, the printed side of the photocopy is to be attached face down onto the gel coated surface. Once the gel is dry, softly rub on the blank side of the photocopy with some water in order to remove the paper pulp and make the image appear perfectly transferred on the surface.

## Precautions

Always read the pack label before use. For more information, please refer to the Safety Data Sheet.

Protect the packs from temperatures below 0°C

Issue date: 2014-10

Any technical sheet is automatically cancelled by a subsequent sheet or five years after the issue date. We guarantee the quality of our products. However, we disclaim any liability in relation to factors other than the coating itself or in relation to an unsuitable use or application method. In case of doubt, please refer to our technical service before applying the products.



# TITAN

091 0087 - ACUALUX PHOTO TRANSFER

**INDUSTRIAS TITAN S.A.U.**

**España:** P. I. Pratenc, c/ 114, 17-19 - 08820 El Prat de Llobregat- T. +34 93 479 74 94

**Portugal:** Rua Fonte Cova, 51 - 4475-031 Maia  
Endereço Postal: Apartado 2020 - 4476-909 Castelo da Maia  
T. +351 229 865 450 - F. +351 229 810 764

